

### **CONWAY P 125 W**

Flow Rate - (Liters / Hour)	-	125 LPH
Storage Tank - Warm Water	-	80 Liters
No. of Faucets	-	2
Nett Weight in Kg (Approx)	-	48
Number of Power Cord	-	5 Amps 1 number.
Power Supply (AC 50 Hz)	-	180 to 260 Volts
Purification Method	-	Ultraviolet / Ozone
MOC - Housing SS 202	-	Stainless Steel - 0.8 mm Sheet
MOC - Warm Water Tank	-	LLDPE
MOC - Legs SS 202	-	Stainless Steel - 2.0 mm Sheet
MOC – Faucets	-	Brass - Chromium Plated
Dimension of CONWAY 125	-	L 550 x W 525 x H 1470 mm

### **CONWAY P 125 WH**

Flow Rate - (Liters / Hour)	-	125 LPH
Storage Tank - Warm Water	-	80 Liters
Storage Tank - Hot Water	-	3 Liters
No. of Faucets	-	2
Nett Weight in Kg (Approx)	-	51
Number of Power Cord	-	5 Amps 1 number & 15 Amps 1 number
Power Supply (AC 50 Hz)	-	180 to 260 Volts
Heater Power in Watts	-	1000 watts
Purification Method	-	Ultraviolet / Ozone
MOC - Housing SS 202	-	Stainless Steel - 0.8 mm Sheet
MOC - Warm Water Tank	-	LLDPE
MOC - Hot Water Tank SS 304	-	Stainless Steel - 0.8 mm Sheet
MOC - Legs SS 202	-	Stainless Steel - 2.0 mm Sheet
MOC – Faucets	-	Brass - Chromium Plated
Dimension of CONWAY 125	-	L 550 x W 525 x H 1470 mm

### **CONWAY P 125 WC**

Flow Rate - (Liters / Hour)	-	125 LPH
Storage Tank - Warm Water	-	40 Liters
Storage Tank - Cold Water	-	40 Liters
No. of Faucets	-	2
Nett Weight in Kg (Approx)	-	66
Number of Power Cord	-	5 Amps 2 numbers.
Power Supply (AC 50 Hz)	-	180 to 260 Volts
Purification Method	-	Ultraviolet / Ozone
MOC - Housing SS 202	-	Stainless Steel - 0.8 mm Sheet
MOC - Cold Water Tank SS 304	-	Stainless Steel - 0.8 mm Sheet
MOC - Warm Water Tank	-	LLDPE
MOC - Legs SS 202	-	Stainless Steel - 2.0 mm Sheet
MOC – Faucets	-	Brass - Chromium Plated
Dimension of CONWAY 125	-	L 550 x W 525 x H 1470 mm

### **CONWAY P 125 WHC**

Flow Rate - (Liters / Hour)	-	125 LPH
Storage Tank - Warm Water	-	40 Liters
Storage Tank - Cold Water	-	40 Liters
Storage Tank - Hot Water	-	3 Liters
No. of Faucets	-	3
Nett Weight in Kg (Approx)	-	69
Number of Power Cord	-	5 Amps 2 numbers & 15 Amps 1 number
Power Supply (AC 50 Hz)	-	180 to 260 Volts
Heater Power in Watts	-	1000 watts
Purification Method	-	Ultraviolet / Ozone
MOC - Housing SS 202	-	Stainless Steel - 0.8 mm Sheet
MOC - Warm Water Tank	-	LLDPE
MOC - Hot Water Tank SS 304	-	Stainless Steel - 0.8 mm Sheet
MOC - Cold Water Tank SS 304	-	Stainless Steel - 0.8 mm Sheet
MOC - Legs SS 202	-	Stainless Steel - 2.0 mm Sheet
MOC – Faucets	-	Brass - Chromium Plated
Dimension of CONWAY 125	-	L 550 x W 525 x H 1470 mm