

India's
First
Customised

Water Cooler
Water Purifier
Water Dispenser



**WE DON'T MAKE SOME PRODUCTS
AND LOOK FOR CUSTOMERS**

**WE MAKE
PRODUCTS
LOOKING
AT CUSTOMERS**

CUSTOMISED WATER PURIFIER | COOLER | DISPENSER

Seventy-one per cent of earth coverage is water. Yet, only 3 percent of surface water is pure.

Adding to our woe, rapid urbanisation, exploding population, spreading industrialisation etc., have increased the demand for pure drinking water phenomenally.

What makes the issue complex, however, is the fact that there is no single solution to water impurity, as claimed by many water-purifier brands you know.

Purification methodology suitable for a given location varies from another, depending upon the contents and nature of water and ecological and geological features.

The advantage of Conway is that we understand this complexity and handle it comprehensively. We customize our product according to your need.





VISION

To constantly upgrade our products with technology through innovation, updation and to be open and remain ahead in our path, always being a respected name in the industry.

MISSION

To offer the best possible options in customised water purifiers to the needs, so as to be a relevant and sought after brand everywhere.

CUSTOMISED PRODUCTS

CONWAY customized water purifiers are available from 50 LPH to 250 LPH and absolutely customisable as per customer's need :

- UV+OZONE purification plant of any capacity for the use of Hotels, Office/ Factory dining halls, Temples, Colleges, Schools, etc...
- RO+UV+OZONE purification plant of any capacity for the use of Hotels, Office/ Factory dining halls, Temples, Colleges, Schools, etc...
- Water purifiers for existing water coolers with automatic storage tank re-purification at regular intervals.
- Industrial Water purifiers with Normal, Hot and Cold water dispensing options and many more according to the site condition and available resources.



Conway 75



Conway 100



Conway 125



Conway 250

ADVANTAGES

- The only water purifier coming with the option of choosing water purification methods based on the quality of raw water.
- An advanced, Micro- controller- based PCB that assures 100% purity irrespective of purification methods and raw water quality. It also ensures, auto cut off during a purifier failure or malfunction. Advanced preventive maintenance information display, using a logical programming.
- World's best purification options like UV, OZONE, RO, etc. can be inbuilt with full automation ensuring Conway to be a complete water purifier.
- Heavily built, using stainless steel housings, MS powder-coated full frames and stainless steel legs, ensuring decades of life to the purifier structure. Hence value for money.
- Option to provide normal, cold and hot purified water outlets make Conway a unique water purifier.
- The advanced, Probe - based Electronic Water Level Controller attached to all the Conway customized water purifiers, ensures safe storing of purified water at all times and to plan re-purification using Ozone, in the event of long storage of purified water.

SCHOOLS I COLLEGES I HOSPITALS I OFFICES I INDUSTRIES I GROUP DWELLINGS, etc.,

CONWAY 250 - Customised Water Purifier / Dispenser

A) PURIFIER (UV + OZONE)

Models Available : 1. CONWAY - P 250 N
2. CONWAY - P 250 NH
3. CONWAY - P 250 NC
4. CONWAY - P 250 NHC

Suitable for : River water, having TDS less than 100 PPM

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Online water connection from over head tank.

B) DISPENSER (Online or External Water Purifier)

Models Available : 1. CONWAY - D 250 N
2. CONWAY - D 250 NH
3. CONWAY - D 250 NC
4. CONWAY - D 250 NHC

Suitable for : Can use it as PoU drinking water system where centralized water purifier (RO Plant) available for Drinking and can also be connected with any external water Purifier.

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Online from over head tank or connect to external RO/UV water purifier.

C) BOTTLE WATER DISPENSER

Models Available : 1. CONWAY - BWD 250 N
2. CONWAY - BWD 250 NH
3. CONWAY - BWD 250 NC
4. CONWAY - BWD 250 NHC

Suitable for : Water bottle (20 liters CAN)

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Minimum 2 bottles or Maximum 4 bottles can be loaded.



CONWAY 125 - Customised Water Purifier / Dispenser

A) PURIFIER (UV + OZONE)

Models Available : 1. CONWAY - P 125 N
2. CONWAY - P 125 NH
3. CONWAY - P 125 NC
4. CONWAY - P 125 NHC

Suitable for : River water, having TDS less than 100 PPM

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Online water connection from over head tank.

B) DISPENSER (Online or External Water Purifier)

Models Available : 1. CONWAY - D 125 N
2. CONWAY - D 125 NH
3. CONWAY - D 125 NC
4. CONWAY - D 125 NHC

Suitable for : Can use it as PoU drinking water system where centralized water purifier (RO Plant) available for Drinking and can also be connected with any external water Purifier.

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Online from over head tank or connect to external RO/UV water purifier.

C) BOTTLE WATER DISPENSER

Models Available : 1. CONWAY - BWD 125 N
2. CONWAY - BWD 125 NH
3. CONWAY - BWD 125 NC
4. CONWAY - BWD 125 NHC

Suitable for : Water bottle (20 liters CAN)

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Minimum 2 bottles or Maximum 4 bottles can be loaded.



CONWAY 100 - Customised Water Purifier / Dispenser

A) PURIFIER (UV + OZONE)

Models Available : 1. CONWAY - P 100 N
2. CONWAY - P 100 NH
3. CONWAY - P 100 NC
4. CONWAY - P 100 NHC

Suitable for : River water, having TDS less than 100 PPM

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Online water connection from over head tank.

B) DISPENSER (Online or External Water Purifier)

Models Available : 1. CONWAY - D 100 N
2. CONWAY - D 100 NH
3. CONWAY - D 100 NC
4. CONWAY - D 100 NHC

Suitable for : Can use it as PoU drinking water system where centralized water purifier (RO Plant) available for Drinking and can also be connected with any external water Purifier.

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Online from over head tank or connect to external RO/UV water purifier.

C) BOTTLE WATER DISPENSER

Models Available : 1. CONWAY - BWD 100 N
2. CONWAY - BWD 100 NH
3. CONWAY - BWD 100 NC
4. CONWAY - BWD 100 NHC

Suitable for : Water bottle (20 liters CAN)

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Bottle can be loaded on top



CONWAY 75 - Customised Water Purifier / Dispenser

A) PURIFIER (UV + OZONE)

- Models Available : 1. CONWAY - P 75 N
2. CONWAY - P 75 NH
3. CONWAY - P 75 NC
4. CONWAY - P 75 NHC

Suitable for : River water, having TDS less than 100 PPM

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Online water connection from over head tank.

B) DISPENSER (Online or External Water Purifier)

- Models Available : 1. CONWAY - D 75 N
2. CONWAY - D 75 NH
3. CONWAY - D 75 NC
4. CONWAY - D 75 NHC

Suitable for : Can use it as PoU drinking water system where centralized water purifier (RO Plant) available for Drinking and can also be connected with any external water Purifier.

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Online from over head tank or connect to external RO/UV water purifier.

C) BOTTLE WATER DISPENSER

- Models Available : 1. CONWAY - BWD 75 N
2. CONWAY - BWD 75 NH
3. CONWAY - BWD 75 NC
4. CONWAY - BWD 75 NHC

Suitable for : Water bottle (20 liters CAN)

Useful for : Office, Schools, College, Hospitals, Industries, etc.

Installation Type : Bottle can be loaded on top



CONWAY 50 - Customised Water Purifier / Dispenser

A) PURIFIER (UV + OZONE)

- Models Available : 1. CONWAY - P 50 N
2. CONWAY - P 50 NH
- Suitable for : River water, having TDS less than 100 PPM
- Useful for : Office, Schools, College, Hospitals, Industries, etc.
- Installation Type : Online water connection from over head tank.

B) DISPENSER (Online or External Water Purifier)

- Models Available : 1. CONWAY - D 50 N
2. CONWAY - D 50 NH
- Suitable for : Can use it as PoU drinking water system where centralized water purifier (RO Plant) available for Drinking and can also be connected with any external water Purifier.
- Useful for : Office, Schools, College, Hospitals, Industries, etc.
- Installation Type : Online from over head tank or connect to external RO/UV water purifier.

C) BOTTLE WATER DISPENSER

- Models Available : 1. CONWAY - BWD 50 N
2. CONWAY - BWD 50 NH
- Suitable for : Water bottle (20 liters CAN)
- Useful for : Office, Schools, College, Hospitals, Industries, etc.
- Installation Type : Bottle can be loaded on top



Conway Customised Water Purifier - Technical Specifications

| MODEL | Conway - N | | | | | Conway - NH | | | | | Conway - NC | | | | Conway - NHC | | | |
|-----------------------------|---|----|-----|-----|-----|-------------|------|------|------|------|-------------|-----|-----|-----|--------------|------|------|------|
| | 50 | 75 | 100 | 125 | 250 | 50 | 75 | 100 | 125 | 250 | 75 | 100 | 125 | 250 | 75 | 100 | 125 | 250 |
| Flow Rate - (Litres / Hour) | 50 | 75 | 100 | 125 | 250 | 50 | 75 | 100 | 125 | 250 | 75 | 100 | 125 | 250 | 75 | 100 | 125 | 250 |
| Storage Tank - Normal Water | 22 | 30 | 50 | 80 | 80 | 22 | 30 | 50 | 80 | 80 | 14 | 20 | 30 | 30 | 14 | 20 | 30 | 30 |
| Storage Tank - Cold Water | - | - | - | - | - | - | - | - | - | - | 14 | 20 | 40 | 40 | 14 | 20 | 40 | 40 |
| Storage Tank - Hot Water | - | - | - | - | - | 2.5 | 3 | 4 | 5 | 5 | - | - | - | - | 3 | 4 | 5 | 5 |
| No. of Faucets | 2 | 2 | 2 | 2 | 6 | 2 | 2 | 2 | 2 | 6 | 2 | 2 | 2 | 6 | 3 | 3 | 3 | 6/9 |
| Heater Power in Watts | - | - | - | - | - | 500 | 1000 | 1000 | 1000 | 2000 | - | - | - | - | 1000 | 1000 | 1000 | 2000 |
| Nett Weight in Kg (Approx) | 25 | 34 | 37 | 48 | 52 | 28 | 37 | 40 | 51 | 55 | 47 | 53 | 66 | 70 | 50 | 56 | 69 | 73 |
| No. of Power cord | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Power Supply (AC 50 Hz) | 180 to 260 Volts | | | | | | | | | | | | | | | | | |
| Purification Method | Any combinations of Reverse Osmosis / Ultraviolet / Ozone | | | | | | | | | | | | | | | | | |
| MOC - Housing SS304 | Stainless Steel - 0.8 mm Sheet | | | | | | | | | | | | | | | | | |
| MOC - Normal Water | LLDPE | | | | | | | | | | | | | | | | | |
| MOC - Cold Water Tank SS304 | Stainless Steel - 0.8 mm Sheet | | | | | | | | | | | | | | | | | |
| MOC - Hot Water Tank SS304 | Stainless Steel - 0.8 mm Sheet | | | | | | | | | | | | | | | | | |
| MOC - Legs SS202 | Stainless Steel - 2.0 mm Sheet | | | | | | | | | | | | | | | | | |
| MOC - Faucets | Brass - Chromium plated | | | | | | | | | | | | | | | | | |
| Insulation of cooling Tank | PUF / EPE | | | | | | | | | | | | | | | | | |
| Dimension of Conway - 50 | L 365 x W 355 x H 780 MM | | | | | | | | | | | | | | | | | |
| Dimension of Conway - 75 | L 365 x W 355 x H 1370 MM | | | | | | | | | | | | | | | | | |
| Dimension of Conway - 100 | L 455 x W 450 x H 1370 MM | | | | | | | | | | | | | | | | | |
| Dimension of Conway - 125 | L 550 x W 525 x H 1450 MM | | | | | | | | | | | | | | | | | |
| Dimension of Conway - 250 | L 550 x W 525 x H 1450 MM | | | | | | | | | | | | | | | | | |
| Compressor make | Emerson / Tecumseh | | | | | | | | | | | | | | | | | |
| Compressor Refrigerant | R - 134a | | | | | | | | | | | | | | | | | |

Specification, illustrations and descriptions are subject to change with out notice due to continual innovation.

India's
First
Customised

Water Cooler
Water Purifier
Water Dispenser



OUR PRESTIGIOUS CLIENTS



Conway Water Purifier Private Limited

No.4/124 B, Agarwal School Road, 2nd Street(Right)

KNG Pudur Pirivu, Kanuvai (PO), Coimbatore - 641 108.

Cell: +91 98947 47475 | Email: sales@conwaywater.com

