

India's
First
Customised

Water Cooler
Water Purifier
Water Dispenser



IS1475:2024



CM/L- 6500099512

WE DON'T MAKE SOME PRODUCTS
AND LOOK FOR CUSTOMERS

WE MAKE
PRODUCTS
LOOKING
AT CUSTOMERS

CUSTOMIZED WATER PURIFIERS | WATER COOLERS | WATER DISPENSERS


India's Most Trusted Manufacturer of Stainless Steel Water Dispensers



India's First BIS License Holder for Water Coolers under IS 1475:2024

Conway is a leading manufacturer of Premium Stainless Steel (SS 304) Water Purifiers and Water Dispensers, delivering safe, reliable, and high-performance drinking water solutions for industrial, commercial, and institutional applications. With over 30 years of expertise in the water purification industry, Conway offers proven and trusted solutions across India.

With 100+ ready models, Conway delivers products designed to meet diverse application requirements. Our products feature a hygienic SS 304 body for long life, with Normal, Hot, and Cold water outlets to suit different needs. Built with a microcontroller-based system, Conway dispensers ensure auto cut-off, safety protection, and reliable performance, with trusted installations across India.



Conway is single solution where there is demand for abundant pure water :
Schools, Colleges, Offices, Hospitals, Industries and Public Places like Mall, Bus stand, Railway station and Airports.



VISION

To be a leading and trusted brand in water purification by continuously upgrading our products through innovation, advanced technology, and quality excellence, while staying ahead in a rapidly evolving industry.

MISSION

To design and deliver reliable, customized water purification solutions that meet diverse customer needs, ensuring safe drinking water, long-term value, and complete customer satisfaction.



Conway Water Dispensers - Technical Specifications

IS1475:2024



CM/L - 6500099512

MODEL	CONWAY	CONWAY	CONWAY	CONWAY	CONWAY	CONWAY
	D 1414 NC	D14314 NHC	D 2020 NC	D 20420 NHC	D 3040 NC	D 30540 NHC
Dimensions	L 365 x W 355 x H 1325 MM		L 455 x W 450 x H 1370 MM		L 550 x W 525 x H 1450 MM	
Storage Tank - Normal Water	14	14	20	20	30	30
Storage Tank - Cold Water	14	14	20	20	40	40
Storage Tank - Hot Water	-	3	-	4	-	5
Heater Power in Watts	-	1000	-	1000	-	1000
Nett Weight in kg (Approx)	49	52	55	60	67	70
Power Supply (AC 50 Hz)	180 to 260 Volts					
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet					
MOC - Normal Water Tank	LLDPE					
MOC - Cold Water Tank	Stainless Steel - 0.8 mm Sheet					
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet					
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet					
MOC - Faucets	Brass - Chromium Plated					
Insulation of Cooling Tank	PUF					

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

India's
First
Customised

Water Cooler
Water Purifier
Water Dispenser



Conway Commercial Water Dispensers with Normal | Hot | Cold options



IS1475:2024



CM/L- 6500099512

At Conway, quality is built into every product we manufacture, and our new commercial water dispenser with high storage capacity reflects advanced engineering expertise. Crafted with a premium SS304 stainless steel body and a modern, elegant finish (Design Registered), it ensures durability, safety, and enhanced aesthetics for commercial and institutional spaces. Integrated UV+Ozone or Commercial RO & UV purification options deliver safe and purified drinking water based on site water conditions. Available with normal, hot and cold-water dispensing options, the unit is trusted by industries and institutions for reliable performance and uncompromised purity. All configurations are customizable according to site conditions, water quality, and available resources, making it ideal for industrial and institutional applications.

Useful for Schools, Colleges, Offices, Hospitals,
Industries and Public Places like Mall, Bus stand,
Railway station and Airports.

Conway Water Dispensers - Technical Specifications

MODEL	CONWAY	CONWAY	CONWAY	CONWAY	CONWAY	CONWAY
	D 30 NN	D 303 NH	D 50 NN	D 504 NH	D 80 NN	D 805 NH
Dimensions	L 365 x W 355 x H 1325 MM		L 455 x W 450 x H 1370 MM		L 550 x W 525 x H 1450 MM	
Storage Tank - Normal Water	30	30	50	50	80	80
Storage Tank - Hot Water	-	3	-	4	-	5
Heater Power in Watts	-	1000	-	1000	-	1000
Nett Weight in kg (Approx)	34	37	39	42	48	50
Power Supply (AC 50 Hz)	180 to 260 Volts					
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet					
MOC - Normal Water Tank	LLDPE					
MOC - Cold Water Tank	Stainless Steel - 0.8 mm Sheet					
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet					
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet					

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

**India's
First
Customised**

**Water Cooler
Water Purifier
Water Dispenser**



Conway Commercial Water Dispensers with Normal & Hot options



At Conway, quality is built into every product we manufacture, and our new commercial water dispenser with high storage capacity reflects advanced engineering expertise. Crafted with a premium SS304 stainless steel body and a modern, elegant finish (Design Registered), it ensures durability, safety, and enhanced aesthetics for commercial and institutional spaces. Integrated UV+Ozone or Commercial RO & UV purification options deliver safe and purified drinking water based on site water conditions. Available with normal, hot and cold-water dispensing options, the unit is trusted by industries and institutions for reliable performance and uncompromised purity. All configurations are customizable according to site conditions, water quality, and available resources, making it ideal for industrial and institutional applications.

Useful for Schools, Colleges, Offices, Hospitals, Industries and Public Places like Mall, Bus stand, Railway station and Airports.

Conway Water Dispensers - Technical Specifications

IS1475:2024



CM/L- 6500099512

MODEL NAMES	CONWAY	CONWAY	CONWAY	CONWAY
	IRD 2020 NC	IRD 20420 NHC	IRD 3040 NC	IRD 30540 NHC
Dimensions	L 455 x W 450 x H 1370 MM		L 550 x W 525 x H 1450 MM	
Storage Tank - Normal Water	20	20	30	30
Storage Tank - Cold Water	20	20	40	40
Storage Tank - Hot Water	-	4	-	5
Heater Power in Watts	-	1000	-	1000
Nett Weight in kg (Approx)	53	63	66	69
Power Supply (AC 50 Hz)	180 to 260 Volts			
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet			
MOC - Normal Water Tank	LLDPE			
MOC - Cold Water Tank	Stainless Steel - 0.8 mm Sheet			
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet			
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet			
MOC - Faucets	Brass - Chromium Plated			
Insulation of Cooling Tank	PUF			
Water Control	Solenoid Valve MCN22 (SS 304)			
Sensor	Infrared M 18 (NPN)			

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

India's
First
Customised

Water Cooler
Water Purifier
Water Dispenser



"CONTACTLESS WATER PURIFIER CUM DISPENSER USING IR SENSOR"

Fully automatic with micro controller support.



IS1475:2024



CM/L- 6500099512

At Conway, innovation and hygiene go hand in hand in our IR Sensor based water dispenser. Equipped with advanced infrared sensor technology, it enables completely contactless operation for safe and hygienic drinking water dispensing. The premium SS304 stainless steel body offers superior durability, corrosion resistance, and a sleek modern appearance (Design Registered). Integrated UV + Ozone or Commercial RO & UV purification options deliver safe and purified drinking water based on site water conditions. Available with normal, hot, and cold-water dispensing options, the unit is engineered for consistent and reliable performance. All configurations are customizable according to site conditions, water quality, and available resources, making it ideal for industrial and institutional applications.

Useful for Schools, Colleges, Offices, Hospitals, Industries and Public Places like Mall, Bus stand, Railway station and Airports.

> CONWAY = HYGIENIC >> HEALTHY >> SAFE >

Conway Water Dispensers - Technical Specifications

MODEL NAMES	CONWAY	CONWAY	CONWAY	CONWAY
	IRD 50 NN	IRD 504 NH	IRD 80 NN	IRD 805 NH
Dimensions	L 455 x W 450 x H 1370 MM		L 550 x W 525 x H 1450 MM	
Storage Tank - Normal Water	50	50	80	80
Storage Tank - Hot Water	-	4	-	5
Heater Power in Watts	-	1000	-	1000
Nett Weight in kg (Approx)	37	40	48	51
Power Supply (AC 50 Hz)	180 to 260 Volts			
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet			
MOC - Normal Water Tank	LLDPE			
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet			
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet			
MOC - Faucets	Brass - Chromium Plated			
Water Control	Solenoid Valve MCN22 (SS 304)			
Sensor	Infrared M 18 (NPN)			

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

India's
First
Customised

Water Cooler
Water Purifier
Water Dispenser



"CONTACTLESS WATER PURIFIER CUM DISPENSER USING IR SENSOR"

Fully automatic with micro controller support.



At Conway, innovation and hygiene go hand in hand in our IR Sensor based water dispenser. Equipped with advanced infrared sensor technology, it enables completely contactless operation for safe and hygienic drinking water dispensing. The premium SS304 stainless steel body offers superior durability, corrosion resistance, and a sleek modern appearance (Design Registered). Integrated UV + Ozone or Commercial RO & UV purification options deliver safe and purified drinking water based on site water conditions. Available with normal, hot, and cold-water dispensing options, the unit is engineered for consistent and reliable performance. All configurations are customizable according to site conditions, water quality, and available resources, making it ideal for industrial and institutional applications.

Useful for Schools, Colleges, Offices, Hospitals, Industries and Public Places like Mall, Bus stand, Railway station and Airports.

> CONWAY = HYGIENIC >> HEALTHY >> SAFE >

Conway Water Dispensers - Technical Specifications

IS1475:2024



CM/L- 6500099512

MODEL	CONWAY	CONWAY
	D 7070 NC	D701070 NHC
Dimensions	L 840 x W 525 x H 1580 MM	
Storage Tank - Normal Water	70	70
Storage Tank - Cold Water	70	70
Storage Tank - Hot Water	-	10
Heater Power in Watts	-	2000
Nett Weight in kg (Approx)	97	104
Power Supply (AC 50 Hz)	180 to 260 Volts	
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet	
MOC - Normal Water Tank	LLDPE	
MOC - Cold Water Tank	Stainless Steel - 0.8 mm Sheet	
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet	
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet	
MOC - Faucets	Brass - Chromium Plated	
Insulation of Cooling Tank	PUF	

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

India's
First
Customised

Water Cooler
Water Purifier
Water Dispenser



Conway Commercial High Storage Water Dispensers with Normal | Hot | Cold Options



IS1475:2024



CM/L- 6500099512



At Conway, quality is built into every product we manufacture, and our new commercial water dispenser with high storage capacity reflects advanced engineering expertise. Crafted with a premium SS304 stainless steel body and a modern, elegant finish (Design Registered), it ensures durability, safety, and enhanced aesthetics for commercial and institutional spaces. Integrated UV+Ozone or Commercial RO & UV purification options deliver safe and purified drinking water based on site water conditions. Available with normal, hot and cold-water dispensing options, the unit is trusted by industries and institutions for reliable performance and uncompromised purity. All configurations are customizable according to site conditions, water quality, and available resources, making it ideal for industrial and institutional applications.

Useful for Schools, Colleges, Offices, Hospitals,
Industries and Public Places like Mall, Bus stand,
Railway station and Airports.

Conway Water Dispensers - Technical Specifications

MODEL	CONWAY	CONWAY
	D 140 NN	D 14010 NH
Dimensions	L 840 x W 525 x H 1580 MM	
Storage Tank - Normal Water	140	140
Storage Tank - Hot Water	-	10
Heater Power in Watts	-	2000
Nett Weight in kg (Approx)	68	75
No of Faucets	5	5
Power Supply (AC 50 Hz)	180 to 260 Volts	
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet	
MOC - Normal Water Tank	LLDPE	
MOC - Cold Water Tank	Stainless Steel - 0.8 mm Sheet	
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet	
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet	

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

India's
First
Customised

Water Cooler
Water Purifier
Water Dispenser



Conway Commercial High Storage Water Dispensers with Normal & Hot Options



At Conway, quality is built into every product we manufacture, and our new commercial water dispenser with high storage capacity reflects advanced engineering expertise. Crafted with a premium SS304 stainless steel body and a modern, elegant finish (Design Registered), it ensures durability, safety, and enhanced aesthetics for commercial and institutional spaces. Integrated UV+Ozone or Commercial RO & UV purification options deliver safe and purified drinking water based on site water conditions. Available with normal, hot and cold-water dispensing options, the unit is trusted by industries and institutions for reliable performance and uncompromised purity. All configurations are customizable according to site conditions, water quality, and available resources, making it ideal for industrial and institutional applications.

Useful for Schools, Colleges, Offices, Hospitals,
Industries and Public Places like Mall, Bus stand,
Railway station and Airports.

Conway Water Dispensers - Technical Specifications

MODEL	CONWAY	CONWAY	CONWAY	CONWAY	CONWAY	CONWAY
	BWD 224 NH	BWD 420 NC	BWD 4420 NHC	BWD 505 NH	BWD 3030 NC	BWD 30530 NHC
Dimensions	L 455 x W 450 x H 1370 MM			L 550 x W 525 x H 1450 MM		
Storage Tank - Normal Water	22	4	4	50	30	30
Storage Tank - Hot Water	4	-	4	5	-	5
Storage Tank - Cold Water	-	20	20	-	30	30
Heater Power in Watts	1000	-	1000	1000	-	1000
Nett Weight in kg (Approx)	40	60	63	51	65	70
Power Supply (AC 50 Hz)	180 to 260 Volts					
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet					
MOC - Normal Water Tank	LLDPE					
MOC - Cold Water Tank	Stainless Steel - 0.8 mm Sheet					
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet					
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet					
MOC - Faucets	Brass - Chromium Plated					
Insulation of Cooling Tank	PUF					

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

**India's
First
Customised**

**Water Cooler
Water Purifier
Water Dispenser**



Conway Commercial Bottle Water Dispensers with Normal | Hot | Cold Options



At Conway, quality is built into every product we manufacture, and our Top Loading Bottle Water Dispenser reflects our strong engineering expertise. Crafted with a premium Stainless steel body (SS304) and a stylish modern finish (Design Registered), it enhances the look of any space while ensuring durability and safety. Designed for long service life, the unit delivers instant hot and cold water on demand. Conway ensures a higher storage capacity that provides a smooth, faster, and uninterrupted hot and cold-water flow rate. Its hygienic construction ensures pure drinking water with minimal maintenance. Trusted by industries and institutions, Conway stands for reliable performance, elegant design, and uncompromised purity.

Useful for Schools, Colleges, Offices, Hospitals, Industries and Public Places like Mall, Bus stand, Railway station and Airports.

OUR PRESTIGIOUS CLIENTS



NOTES



CONWAY

®

PURITY | QUALITY | SAFETY



Authorised Dealer



Conway Water Purifier Private Limited

No. 4/124 B, Agarwal School Road, 2nd Street (Right), KNG Pudur Pirivu, Kanuvai (PO),
Coimbatore 641108. Cell: +91 98947 47475 | Email: sales@conwaywater.com

www.conwaywater.com